
Product Sheet

The **Hyperion® RX** is an excellent foaming agent for gypsum board. It is a highly concentrated product, which forms thick foam, with high stability, and keeps the air particle as small as possible.



Hyperion® RX

Hyperion® N

Hyperion® TDA6

Hyperion® DA6

Hyperion® TW20

Hyperion® TW60

Hyperion® TW80

Hyperion® TW85

Hyperion® SP-80

Hyperion® CO 36

Hyperion® LFS-100

Hyperion® RX

Where Performance meets Economics™

Novachem

Hyperion® RX

Document: Technical Data Sheet

Company: Novachem S de RL

Address: Zoli Novachem,
Parque Accival 3 y 4, El Polvorín,
San Pedro Sula, Honduras

Phone: +504 2508-0252

URL: novachem.hn

Product

The **Hyperion® RX** is an excellent foaming agent for gypsum board. It is a highly concentrated product, which forms thick foam, with high stability, and keeps the air particle as small as possible.

Parameters

| Parameters | Description |
|----------------------|---------------------------------|
| Appearance | Transparent Slightly Yellow |
| Chemical Character | Alkyl ether ammonium sulfate |
| Application | Gypsum board, carpets, fracking |
| Ionic Characteristic | Anionic |
| Application | 0.5 - 2.0 g/L |
| % Activity | 66% |

Benefits

Highly foaming
Highly concentrated, reduces the amount of water in the table
High resistance to alkalinity
Highly stable, the foam does not dissipate easily

Packaging

Hyperion® RX can be delivered in 200kg drums, or 1000 kg totes.

The above recommendations are based on extensive results done in the most professional manner. The user must try this product industrially first, to verify if the product is viable for further use. The technical information and application advice given in this **Novachem** publication are based on the present state of our best scientific and practical knowledge. As the information herein is of a general nature, no assumption can be made as to a product's suitability for a particular use or application and no warranty as to its accuracy, reliability or completeness either expressed or implied is given other than those required by law. These results however verified and certified by a third party, do not hold us liable in terms of performance deviations. These tests have been conducted in controlled environments. The user is responsible for checking the suitability of products for their intended use.

For further information and to request samples, please visit **novachem.hn** where a qualified technician will assist you.

URL:// www.novachem.hn

Hyperion® is a registered trademark of **Novachem**.

Honduras

+504 2508-0252

info@novachem.hn

USA

+1 (305) 350-5650

info@novachem.hn

China

+86 139 1237 6797

info@novachem.hn